



# MATERIAL SAFETY DATA SHEET

Note: Read and understand Material Safety Data Sheet before handling or disposing of product.

**NIPPON OIL COMPANY, LTD.**

Effective date: 21 Oct. 97

Issued date: 19 Dec. 97

MSDS No. 510002

## SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**COMPANY IDENTIFICATION** NIPPON OIL COMPANY, LTD.  
 3-12, Nishi Shimbashi 1-chome, Minato-ku, Tokyo, 105 Japan

**EMERGENCY TELEPHONE NUMBER:** +81-3-3502-9156  
**TELEPHONE NUMBER FOR INFORMATION:** +81-3-3502-1111  
**FAX NUMBER FOR INFORMATION:** +81-3-3502-9364

**PRODUCT NAME:** Nisseki HV Insulating Oil A  
**PRODUCT USE:** Insulating oil

## SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

### COMPOSITION

<u>Components</u>	<u>Amount(%)</u>	<u>Limit</u>
Base Material	> 99	
Highly refined petroleum oil		5 mg/m <sup>3</sup> TWA-OSHA (Mineral Oil Mist #1)
Mineral oil		5 mg/m <sup>3</sup> TWA-OSHA (Mineral Oil Mist #1)
Additives	< 1	
Streaming electrification suppressant		

#### Hazardous information

Product is non-hazardous. (1910,1200 OSHA)

#1 Highly refined petroleum oil, by definition, is considered hazardous according to OSHA. Because it carries the Threshold limit value (TLV) for mineral oil mist.

## SECTION 3 HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

**Appearance:** Transparent liquid

**Odor:** Slight odor

**Warning statement:**

Caution! Prolonged or repeated contact with skin may cause irritation in some cases.

**Precautionary Measures:** Avoid breathing vapor and mist. Keep container closed.

Avoid contact with eyes, skin, and clothing.

Wash thoroughly after handling. Keep away from heat.

**Potential health effect:**

**Eyes:** May cause minor irritation.

**Skin:** May cause minimal skin irritation.

**Inhalation:** Not expected to be acutely toxic by inhalation.

**Ingestion:** Not expected to be acutely toxic by ingestion.

**Sensitization properties:** Unknown

**Chronic Properties:** No information is available.

**Other remarks:** None

---

## SECTION 4 FIRST AID MEASURES

---

**Eyes:** Flush immediately with water for at least 15 minutes. Get immediate medical attention.  
**Skin:** Wash with soap and water. Get medical attention if irritation develops.  
 Launder contaminated clothing before reuse.  
**Inhalation:** Remove exposed person to fresh air if adverse effects are observed.  
**Ingestion:** Do not make person vomit unless directed to do so by medical personnel.  
**Note to physician :** Treat symptomatically.

---

## SECTION 5 FIRE FIGHTING MEASURES

---

**Flash point (Typical), °C** 146  
**Autoignition temp., °C** Not Determined.  
**Flammability limits** Not Determined.  
**Extinguishing media:** CO<sub>2</sub>, dry chemical, or foam .  
**Special fire fighting procedures:** Recommend wearing self-contained breathing apparatus. Water may cause splattering. Material will float on water.  
**Unusual fire & explosion hazards:** Toxic fumes, gases or vapors may evolve on burning.  
**Autoignition temperature:** Not determined.  
**Explosion data:** Material does not have explosive properties.

---

## SECTION 6 ACCIDENTAL RELEASE MEASURES

---

**Procedures in Case of Accidental Release, Breakage or Leakage:**  
 Stop the source of the leak or release. Clean up releases as soon as possible. Contain liquid to prevent further contamination of soil, surface water or groundwater. Clean up small spills using appropriate techniques such as sorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Follow prescribed procedures for reporting and responding to larger releases.

---

## SECTION 7 HANDLING AND STORAGE

---

Do not weld, heat or drill container. Replace cap or bung. Emptied container still contains hazardous material which may ignite with explosive violence if heated sufficiently.  
 Minimum feasible handling temperatures should be maintained.  
 Periods of exposure to high temperatures should be minimized.  
 Water contamination should be avoided.  
**CAUTION:** Do not use pressure to empty drum or drum may rupture with explosive force.

---

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**Eye Protection:** Chemical type goggles or face shield optional.  
**Skin Protection:** Avoid prolonged or frequently repeated skin contact by wearing impervious protective clothing including gloves.  
**Respiratory Protection:** Wear a breathing mask.  
**Ventilation:** No special ventilation is usually necessary. However, if operating conditions create high air borne concentrations of this material, special ventilation may be needed.  
**Other clothing and Equipment :** No special clothing or equipment is usually necessary, Work practices, hygienic practices: No information is available.  
**Other handling and storage requirements:** No information is available.  
**Protective measures during maintenance of contaminated equipment:** N.D.A.

N.D.A.: No Data Available  
 <: Less Than

N.A.: Not Applicable  
 >: Greater Than

---

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**


---

Odor		Slight odor
Appearance		Transparent liquid
pH of undiluted product		N.D.A.
Vapor pressure		N.D.A.
Vapor density		N.D.A.
Boiling point	°C	N.D.A.
Melting point	°C	N.D.A.
Solubility		Insoluble in water.
Density	@15°C g/cm <sup>3</sup>	0.846
Pour point	°C	-37.5
Viscosity	@40°C mm <sup>2</sup> /s	6.01
Percent volatile	%	N.D.A.
DMSO Extract(Base oil)	mass %(IP 346)	< 3

---

**SECTION 10 STABILITY AND REACTIVITY**


---

Stability:  Stable  Unstable  
 Conditions to Avoid: See the Handling and storage section for further details.  
 Incompatibility (materials to avoid): Acids, Oxidizing agents, Halogens and halogenated compounds.  
 Hazardous Polymerization:  May occur  Will not occur

---

**SECTION 11 TOXICOLOGICAL INFORMATION**


---

Acute Oral: N.D.A.: Believed to be greater than 5 g/kg (rat)  
 Practically non-toxic  
 Dermal: N.D.A.: Believed to be greater than 3 g/kg (rabbit)  
 Practically non-toxic  
 Carcinogen: OSHA: This material is not listed as Group 1 by IARC.  
 (Base oil) EU: The classification as a carcinogen need not apply.

---

**SECTION 12 ECOLOGICAL INFORMATION**


---

Biodegradation: N. D. A.  
 Environmental fate: This material is not expected to present any environmental problems other than those associated with oil spills.

---

**SECTION 13 DISPOSAL CONSIDERATIONS**


---

**Waste Disposal Method**

Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations. Contact local environmental or health authorities for approved disposal of this material.

---

**SECTION 14 TRANSPORT INFORMATION**


---

The description shown may not apply to all shipping situations.

DOT	Proper Shipping Name:	Not applicable.
IMDG	Proper Shipping Name:	Not applicable.
ICAO	Proper Shipping Name:	Not applicable.
TDG	Proper Shipping Name:	Not applicable.
NFPA	Proper name:	Class 1.

N.D.A.: No Data Available  
 <: Less Than

N.A.: Not Applicable  
 >: Greater Than

---

**SECTION 15 REGULATION INFORMATION**

---

The U.S. TSCA inventory:	All components of this material are on the US TSCA inventory.
The EC EINECS inventory:	All components of this material are on the EC EINECS inventory.
The CANADA DSL inventory:	All components of this material are on the DSL inventory.
The AUSTRALIA AICS inventory:	All components of this material are on the AICS inventory.
The KOREA TCCL inventory:	All components of this material are on the TCCL inventory.
The PHILIPPINE PICCS inventory:	All components of this material are on the PICCS inventory.

---

**SECTION 16 OTHER INFORMATION**

---

None

**References**

1. *Handbook of Toxic and Hazardous Chemicals and Carcinogens* (2nd ed.)
2. *Registry of Toxic Effects of Chemical Substances* (NIOSH, 1983)

Material safety data sheets are provided as reference information on the safe handling of hazardous or harmful materials to companies using such materials. When referring to this data sheet, companies should remember that they must take responsibility for implementing the proper measures for their own particular situations. This data sheet is not a guarantee of safety.